



# FREST SW

ISLAND FREEZERS





**Benefits & Specifications:**

- Easy access and ergonomic design
- Fully configurable to different concepts
- Ideal for wide variety of food presentations
- Easily adaptable to changes of product
- Designed for modular configurations
- Increased display area Low operating costs
- Simplified maintenance

**FREST SC\* WIDE  
Dimensions (mm):**

Height : 1034  
 Length : 1875 / 2500 / 3750  
                   2045 (End Cabinet)  
 Depth : 2045

**FREST DC\* WIDE  
Dimensions (mm):**


Height : 1034  
 Length : 1875 / 2500 / 3750  
                   2045 (End Cabinet)  
 Depth : 2045

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC / HFO blend CO <sub>2</sub>


HFC: R407A / R407F / R404A • HFC / HFO: R448A / R449A / R452A • CO<sub>2</sub>: R744

\* SC: Single Coil  
 \* DC: Double Coil


# ACCESSORIES



SLIDING COVER



SUPER STRUCTURE




NIGHT BLIND




WIRE TRAY & PRODUCT DIVIDER

# TECHNICAL DATA




**FREST SC\* WIDE with LIDS**

Length mm | 1875 | 2500 | 3750




**FREST DC\* WIDE with LIDS**

Length mm | 1875 | 2500 | 3750




**FREST DC\* WIDE w/o LIDS**

Length mm | 1875 | 2500 | 3750



**FREST 2045 HC with LIDS**

Length mm | 2045




**FREST 2045 HC w/o LIDS**

Length mm | 2045

\* SC: Single Coil  
\* DC: Double Coil

# WHERE QUALITY MEETS RELIABILITY



**FROST COOLING TRADING**  
SALES: +971 58 553 8232  
OFFICE: +971 58 520 5232  
EMAIL: SALES@FROSTCOOLING.AE